



Product Service

CERTIFICATE

No. Z2 18 04 72092 272

Holder of Certificate: Shanghai JA Solar Technology Co., Ltd.

No. 118, Lane 3111,
West Huancheng Road
Fengxian District
201401 Shanghai
PEOPLE'S REPUBLIC OF CHINA


Certification Mark:

Product:

Crystalline Silicon Terrestrial Photovoltaic (PV) Modules
Mono-Crystalline Silicon Photovoltaic Module

The product was tested on a voluntary basis and complies with the essential requirements. The certification mark shown above can be affixed on the product. It is not permitted to alter the certification mark in any way. In addition the certification holder must not transfer the certificate to third parties. See also notes overleaf.

Test report no.: 704061501205-07

Valid until: 2023-04-16

Date, 2018-04-20

(Zhulin Zhang)

Page 1 of 3





Product Service

CERTIFICATE**No. Z2 18 04 72092 272****Model(s):**

JAM6(DG)-60-xxx/1500V, xxx= 250 to 270 in step of 5;
 JAM6(DG)-60-xxx/4BB/1500V, xxx= 260 to 285 in step of 5;
 JAM6(K)(DG)-60-xxx/PR/1500V, xxx= 270 to 305 in step of 5;
 JAM6(DG)-60-xxx/4BB/1500V, xxx= 260 to 280 in step of 5;
 JAM6(K)(DG)-72-xxx/PR/1500V, xxx= 330 to 365 in step of 5;
 JAM6(K)(DG)-72-xxx/4BB/1500V, xxx= 320 to 340 in step of 5;
 JAM60D00-xxx/PR, xxx= 270 to 315 in step of 5;
 JAM72D00-xxx/PR, xxx= 330 to 375 in step of 5;
 JAM60D00-xxx/SC, xxx= 260 to 285 in step of 5;
 JAM72D00-xxx/SC, xxx= 320 to 340 in step of 5;
 JAM60D00-xxx/BP, xxx= 285 to 330 in step of 5;
 JAM72D00-xxx/BP, xxx= 340 to 390 in step of 5;
 xxx is standing for rated output power at STC

Parameters:

Rated Output Power at STC: See the attachment.
 Construction: Frameless, with Junction box, Cable and Connectors.
 Test Laboratory: Yangzhou Opto-Electrical Products Testing Institute;
 No. 10 West Kaifa Road, Yangzhou, 225009 Jiangsu, P. R. China
 Application Class: Class A
 Maximum System Voltage: 1500 V DC
 Fire Safety Class: Class A

Tested according to:

IEC 61215(ed.2)
 IEC 61730-1(ed.1);am1;am2
 IEC 61730-2(ed.1);am1
 EN 61215:2005
 EN 61730-1:2007/A11:2014
 EN 61730-2:2007/A1:2012

Production Facility(ies):

79395, 72056, 72092, 95903, 97323, 90968, 01112

CERTIFICATE

No. Z2 18 04 72092 272



Product Service

The following models will be covered by above certificate:

Model	Rated Output Power at STC
JAM6(DG)-60-xxx/1500V, xxx= 250 to 270 in step of 5	250W, 255W, 260W, 265W, 270W;
JAM6(DG)-60-xxx/4BB/1500V, xxx= 260 to 285 in step of 5;	260W, 265W, 270W, 275W, 280W, 285W;
JAM6(K)(DG)-60-xxx/PR/1500V, xxx= 270 to 305 in step of 5;	270W, 275W, 280W, 285W, 290W, 295W, 300W, 305W;
JAM6(DG)-60-xxx/4BB/1500V, xxx= 260 to 280 in step of 5;	260W, 265W, 270W, 275W, 280W;
JAM6(K)(DG)-72-xxx/PR/1500V, xxx= 330 to 365 in step of 5;	330W, 335W, 340W, 345W, 350W, 355W, 360W, 365W;
JAM6(K)(DG)-72-xxx/4BB/1500V, xxx= 320 to 340 in step of 5;	320W, 325W, 330W, 335W, 340 W;
JAM60D00-xxx/PR, xxx= 270 to 315 in step of 5;	270W, 275W, 280W, 285W, 290W, 295W, 300W, 305W, 310W, 315W;
JAM72D00-xxx/PR, xxx= 330 to 375 in step of 5;	330W, 335W, 340W, 345W, 350W, 355W, 360W, 365W, 370 W, 375W;
JAM60D00-xxx/SC, xxx= 260 to 285 in step of 5;	260W, 265W, 270W, 275W, 280W, 285W;
JAM72D00-xxx/SC, xxx= 320 to 340 in step of 5;	320W, 325W, 330W, 335W, 340W;
JAM60D00-xxx/BP, xxx= 285to 330 in step of 5;	285W, 290W, 295W, 300W, 305W, 310W, 315W, 320W, 325W, 330 W;
JAM72D00-xxx/BP, xxx= 340 to 390 in step of 5;	340W, 345W, 350W, 355W, 360W, 365W, 370W, 375W, 380W, 385W, 390W;