

CERTIFICATE

TÜV NORD CERT GmbH

herewith declares that

Shanghai JA Solar Technology Co., Ltd.

No. 118, Lane 3111, West Huangcheng Road

Fengxian District, Shanghai, 201401

P.R. China

is authorized to provide the product mentioned below with the mark as illustrated:



Description of product (details see Annex 2):

PV Modules with 6" Mono-crystalline Silicon Solar Cells

PV Modules with 5" Mono-crystalline Silicon Solar Cells

PV Modules with 6" Poly-crystalline Silicon Solar Cells

PV Modules with half-cut 6" Mono-crystalline Silicon Solar Cells

PV Modules with half-cut 6" Poly-crystalline Silicon Solar Cells

Valid until: 2024-05-13

Tested according to: IEC 62716:2013 / EN 62716:2013 + AC:2014.
Registered No.: 44 780 19 406749 - 296
Manufacturer: see Annex 1
Test Report No.: 492010517.012
File No.: SHV04091/19-01



TÜV NORD CERT GmbH
Certification Body
Consumer Products



Essen, 2019-09-05


Please also pay attention to the information stated overleaf.

Manufacturer:

- Manufacturer 1: **Shanghai JA Solar Technology Co., Ltd.**
No. 118, Lane 3111, West Huancheng Road, Fengxian District
Shanghai 201401, P.R. China
Factory inspection report no.: 862010153.007
- Manufacturer 2: **Hefei JA Solar Technology Co., Ltd.**
No. 999, Chang Ning Road, Hi-tech Zone, Hefei
230088, P.R. China
Factory inspection report no.: 862010241.006
- Manufacturer 3: **JA Solar Co., Ltd.**
5th Jinglong Industrial Park, No. 123 Xinxing Road
Ningjin, Xingtai City, Hebei Province, 055550, P.R. China
Factory inspection report no.: 862010244.006
- Manufacturer 4: **JA Solar (Xingtai) Co., Ltd.**
No. 1688, Chang An Road, Xingtai Economic Development Area
Xingtai City, Hebei Province, 054001, P.R. China
Factory inspection report no.: 862010290.004
- Manufacturer 5: **Vina Solar Technology Co., Ltd.**
E12 factory, lot CN-03, Van Trung Industrial park,
21000 Bac Giang Province, Vietnam
Factory inspection report no.: 862010302.003
- Manufacturer 6: **Philadelphia Solar LTD. CO**
Al Qastal Industrial Area, Air freight Road, 11814 Amman, Jordan
Factory inspection report no.: 862010431.001

Remark:

Factory inspection is mandatory to be performed annually. Please refer to factory inspection report for detailed information.



TÜV NORD CERT GmbH
Certification Body
Consumer Products

Description of product(s):

Module types:

PV Modules with 6" Mono-crystalline Silicon Solar Cells:

72 cells: JAM6(L)-72- xxx (xxx=295-335, in steps of 5)

72 cells: JAM6-72- xxx/SI (xxx=285-325, in steps of 5)

72 cells: JAM6(R)-72-xxx (xxx=295-340, in steps of 5)

72 cells: JAM6(R)-72-xxx/PR (xxx=330-350, in steps of 5)

72 cells: JAM6-72-xxx/PR (xxx=325-345, in steps of 5)

72 cells: JAM6(L)-72-xxx/PR (xxx=325-345, in steps of 5)

72 cells: JAM6(K)-72-xxx/4BB (xxx=320-340, in steps of 5)

72 cells: JAM6(K)-72-xxx/PR (xxx=325-360, in steps of 5)

72 cells: JAM72S01-xxx/SC (xxx=320-365, in steps of 5)

72 cells: JAM72S02-xxx/SC (xxx=320-365, in steps of 5)

72 cells: JAM72S01-xxx/PR (xxx=325-390, in steps of 5)

72 cells: JAM72S02-xxx/PR (xxx=325-390, in steps of 5)

72 cells: JAM72S01-xxx/MR (xxx=360-390, in steps of 5)

72 cells: JAM72S02-xxx/MR (xxx=360-390, in steps of 5)

72 cells: JAM72S09-xxx/PR (xxx=365-405, in steps of 5)

72 cells: JAM72S12-xxx/PR (xxx=365-390, in steps of 5)

60 cells: JAM6(L)-60-xxx (xxx=255-280, in steps of 5)

60 cells: JAM6-60-xxx/SI (xxx=235-280, in steps of 5)

60 cells: JAM6(FA)-60-xxx/SI (xxx=255-275, in steps of 5)

60 cells: JAM6(R)(FA)-60-xxx (xxx=260-280, in steps of 5)

60 cells: JAM6(R)-60-xxx (xxx=255-280, in steps of 5)

60 cells: JAM6(R)-60-xxx/PR (xxx=280-300, in steps of 5)

60 cells: JAM6-60-xxx/PR (xxx=275-295, in steps of 5)

60 cells: JAM6(L)-60-xxx/PR (xxx=270-295, in steps of 5)

60 cells: JAM6(K)-60-xxx/4BB (xxx=265-290, in steps of 5)

60 cells: JAM6(K)-60-xxx/PR (xxx=275-305, in steps of 5)

60 cells: JAM60S01-xxx/SC (xxx=265-305, in steps of 5)

60 cells: JAM60S02-xxx/SC (xxx=265-305, in steps of 5)

60 cells: JAM60S01-xxx/PR (xxx=280-325, in steps of 5)

60 cells: JAM60S02-xxx/PR (xxx=280-325, in steps of 5)

60 cells: JAM60S01-xxx/MR (xxx=300-330, in steps of 5)

60 cells: JAM60S02-xxx/MR (xxx=300-330, in steps of 5)

60 cells: JAM60S09-xxx/PR (xxx=305-335, in steps of 5)

60 cells: JAM60S12-xxx/PR (xxx=305-325, in steps of 5)

48 cells: JAM6(FA)-48-xxx/SI (xxx=205-220, in steps of 5)

48 cells: JAM6(R)(FA)-48-xxx (xxx=210-225, in steps of 5)



TÜV NORD CERT GmbH
Certification Body
Consumer Products

48 cells: JAM6(R)-48-xxx/PR (xxx=220-235, in steps of 5)
48 cells: JAM6-48-xxx/PR (xxx=215-235, in steps of 5)
48 cells: JAM6(L)-48-xxx/PR (xxx=215-235, in steps of 5)
48 cells: JAM6(K)-48xxx/4BB (xxx=210-225, in steps of 5)
48 cells: JAM6(K)-48-xxx/PR (xxx=220-235, in steps of 5)

Maximum system voltage: 1000V
Fuse rating: 20A
Application class: Class A
Electrical protection class: Class II

Module types: **PV Modules with half-cut 6" Mono-crystalline Silicon Solar Cells:**

78 cells: JAM78S10-xxx/MR (xxx=410-440, in steps of 5)
72 cells: JAM72S03-xxx/PR (xxx=355-400, in steps of 5)
72 cells: JAM72S10-xxx/PR (xxx=365-415, in steps of 5)
72 cells: JAM72S17-xxx/PR (xxx=380-415, in steps of 5)
72 cells: JAM72S10-xxx/MR (xxx=390-420, in steps of 5)
72 cells: JAM72S17-xxx/MR (xxx=390-410, in steps of 5)
66 cells: JAM66S10-xxx/MR (xxx=345-380, in steps of 5)
60 cells: JAM60S03-xxx/PR (xxx=295-335, in steps of 5)
60 cells: JAM60S10-xxx/PR (xxx=305-345, in steps of 5)
60 cells: JAM60S17-xxx/PR (xxx=315-345, in steps of 5)
60 cells: JAM60S10-xxx/MR (xxx=320-345, in steps of 5)
60 cells: JAM60S17-xxx/MR (xxx=320-340, in steps of 5)

Maximum system voltage: 1000V
Fuse rating: 20A
Application class: Class A
Electrical protection class: Class II

Module types: **PV Modules with 5" Mono-crystalline Silicon Solar Cells:**

72 cells: JAM5-72-xxx/SI (xxx=180-210, in steps of 5)
72 cells: JAM5(L)-72-xxx/SI (xxx=180-220, in steps of 5)
72 cells: JAM5(R)-72-xxx (xxx=195-220, in steps of 5)

Maximum system voltage: 1000V
Fuse rating: 10A
Application class: Class A
Electrical protection class: Class II



TÜV NORD CERT GmbH
Certification Body
Consumer Products

Module types:

PV Modules with 6" Poly-crystalline Silicon Solar Cells:

72 cells: JAP6-72-xxx/3BB (xxx=250-330, in steps of 5)
72 cells: JAP6-72-xxx/4BB (xxx=305-330, in steps of 5)
72 cells: JAP6-72-xxx/RE (xxx=305-330, in steps of 5)
72 cells: JAP6-72-xxx/4BB/RE (xxx=305-330, in steps of 5)
72 cells: JAP6(K)-72-xxx/4BB (xxx=305-330, in steps of 5)
72 cells: JAP72S01-xxx/SC (xxx=305-345, in steps of 5)
72 cells: JAP72S02-xxx/SC (xxx=305-345, in steps of 5)
72 cells: JAP72S01-xxx/PR (xxx=330-345, in steps of 5)
72 cells: JAP72S09-xxx/SC (xxx=320-340, in steps of 5)
72 cells: JAP72S01-xxx/MS (xxx=325-345, in steps of 5)
60 cells: JAP6-60-xxx/3BB (xxx=240-275, in steps of 5)
60 cells: JAP6(FA)-60-xxx/3BB (xxx=250-270, in steps of 5)
60 cells: JAP6-60-xxx/4BB (xxx=250-275, in steps of 5)
60 cells: JAP6-60-xxx/RE (xxx=255-280, in steps of 5)
60 cells: JAP6-60-xxx/4BB/RE (xxx=255-280, in steps of 5)
60 cells: JAP6(K)-60-xxx/4BB (xxx=255-275, in steps of 5)
60 cells: JAP60S01-xxx/SC (xxx=250-290, in steps of 5)
60 cells: JAP60S02-xxx/SC (xxx=250-290, in steps of 5)
60 cells: JAP60S01-xxx/PR (xxx=275-285, in steps of 5)
60 cells: JAP60S09-xxx/SC (xxx=265-280, in steps of 5)
60 cells: JAP60S01-xxx/MS (xxx=270-290, in steps of 5)
54 cells: JAP54S01-xxx/SC (xxx=245-255, in steps of 5)
48 cells: JAP6(FA)-48-xxx/3BB (xxx=200-220, in steps of 5)
48 cells: JAP6-48-xxx/3BB (xxx=200-220, in steps of 5)

Maximum system voltage:

1000V

Fuse rating:

20A

Application class:

Class A

Electrical protection class:

Class II

Module types:

PV Modules with half-cut 6" Poly-crystalline Silicon Solar Cells:

72 cells: JAP72S03-xxx/PR (xxx=335-380, in steps of 5)
72 cells: JAP72S03-xxx/SC (xxx=320-350, in steps of 5)
72 cells: JAP72S10-xxx/SC (xxx=335-350, in steps of 5)
72 cells: JAP72S03-xxx/MS (xxx=320-355, in steps of 5)
60 cells: JAP60S03-xxx/PR (xxx=280-315, in steps of 5)
60 cells: JAP60S03-xxx/SC (xxx=270-300, in steps of 5)



TÜV NORD CERT GmbH
Certification Body
Consumer Products

60 cells: JAP60S10-xxx/SC (xxx=275-290, in steps of 5)
60 cells: JAP60S03-xxx/MS (xxx=265-305, in steps of 5)

Maximum system voltage: 1000V
Fuse rating: 20A
Application class: Class A
Electrical protection class: Class II

Module types:

PV Modules with 6" Mono-crystalline Silicon Solar Cells:

72 cells: JAM6(K)-72-xxx/PR/1500V (xxx=345-365, in steps of 5)
72 cells: JAM6(K)-72-xxx/4BB/1500V (xxx=320-340, in steps of 5)
72 cells: JAM72S01-xxx/PR (xxx=325-390, in steps of 5)
72 cells: JAM72S01-xxx/MR (xxx=360-390, in steps of 5)
72 cells: JAM72S01-xxx/SC (xxx=320-365, in steps of 5)
72 cells: JAM72S09-xxx/PR (xxx=365-405, in steps of 5)
60 cells: JAM6(K)-60-xxx/PR/1500V (xxx=285-305, in steps of 5)
60 cells: JAM6(K)-60-xxx/4BB/1500V (xxx=265-290, in steps of 5)
60 cells: JAM60S01-xxx/PR (xxx=280-325, in steps of 5)
60 cells: JAM60S01-xxx/MR (xxx=300-330, in steps of 5)
60 cells: JAM60S01-xxx/SC (xxx=265-305, in steps of 5)
60 cells: JAM60S09-xxx/PR (xxx=305-335, in steps of 5)

Maximum system voltage: 1500V
Fuse rating: 20A
Application class: Class A
Electrical protection class: Class II

Module types:

PV Modules with 6" Poly-crystalline Silicon Solar Cells:

72 cells: JAP6(K)-72-xxx/4BB/1500V (xxx=305-330, in steps of 5)
72 cells: JAP72S01-xxx/SC (xxx=305-345, in steps of 5)
72 cells: JAP72S01-xxx/PR (xxx=330-345, in steps of 5)
72 cells: JAP72S09-xxx/SC (xxx=320-340, in steps of 5)
72 cells: JAP72S01-xxx/MS (xxx=325-345, in steps of 5)
60 cells: JAP6(K)-60-xxx/4BB/1500V (xxx=255-275, in steps of 5)
60 cells: JAP60S01-xxx/SC (xxx=255-290, in steps of 5)
60 cells: JAP60S01-xxx/PR (xxx=275-285, in steps of 5)
60 cells: JAP60S09-xxx/SC (xxx=265-280, in steps of 5)
60 cells: JAP60S01-xxx/MS (xxx=270-290, in steps of 5)
54 cells: JAP54S01-xxx/SC (xxx=245-255, in steps of 5)



TÜV NORD CERT GmbH
Certification Body
Consumer Products

Maximum system voltage: 1500V
Fuse rating: 20A
Application class: Class A
Electrical protection class: Class II

Module types: **PV Modules with half-cut 6" Mono-crystalline Silicon Solar Cells:**

78 cells: JAM78S10-xxx/MR (xxx=410-440, in steps of 5)
72 cells: JAM72S03-xxx/PR (xxx=355-400, in steps of 5)
72 cells: JAM72S10-xxx/PR (xxx=365-415, in steps of 5)
72 cells: JAM72S10-xxx/MR (xxx=390-420, in steps of 5)
66 cells: JAM66S10-xxx/MR (xxx=345-380, in steps of 5)
60 cells: JAM60S03-xxx/PR (xxx=295-335, in steps of 5)
60 cells: JAM60S10-xxx/PR (xxx=305-345, in steps of 5)
60 cells: JAM60S10-xxx/MR (xxx=320-345, in steps of 5)

Maximum system voltage: 1500V
Fuse rating: 20A
Application class: Class A
Electrical protection class: Class II

Module types: **PV Modules with half-cut 6" Poly-crystalline Silicon Solar Cells:**

72 cells: JAP72S03-xxx/PR (xxx=335-380, in steps of 5)
72 cells: JAP72S03-xxx/SC (xxx=320-350, in steps of 5)
72 cells: JAP72S10-xxx/SC (xxx=335-350, in steps of 5)
72 cells: JAP72S03-xxx/MS (xxx=320-355, in steps of 5)
60 cells: JAP60S03-xxx/PR (xxx=280-315, in steps of 5)
60 cells: JAP60S03-xxx/SC (xxx=270-300, in steps of 5)
60 cells: JAP60S10-xxx/SC (xxx=275-290, in steps of 5)
60 cells: JAP60S03-xxx/MS (xxx=265-305, in steps of 5)

Maximum system voltage: 1500V
Fuse rating: 20A
Application class: Class A
Electrical protection class: Class II

Remark:

For detailed product information, please refer to CDF (Constructional Data Form) in Annex 1 of test report.



TÜV NORD CERT GmbH
Certification Body
Consumer Products