



Product Service

CERTIFICATE

No. Z2 17 10 99333 013

Holder of Certificate: LONGi Green Energy Technology Co., Ltd.No. 388, Middle Hangtian Road
Chang'an District
710100 Xi'an City, Shaanxi
PEOPLE'S REPUBLIC OF CHINA**Certification Mark:****Product:**Crystalline Silicon Terrestrial Photovoltaic (PV) Modules
Mono-Crystalline Silicon Photovoltaic Module

The product was tested on a voluntary basis and complies with the essential requirements. The certification mark shown above can be affixed on the product. It is not permitted to alter the certification mark in any way. In addition the certification holder must not transfer the certificate to third parties. See also notes overleaf.

Test report no.: 704061513510-06**Valid until:** 2022-10-17**Date,** 2017-10-20

(Zhulin Zhang)

Page 1 of 3



Product Service

CERTIFICATE

No. Z2 17 10 99333 013

Model(s):

LR6-72-xxxM, (xxx=320 to 350 in step of 5)
 LR6-72BK-xxxM, (xxx=320 to 350 in step of 5)
 LR6-60-xxxM, (xxx=270 to 300 in step of 5)
 LR6-60BK-xxxM, (xxx=270 to 300 in step of 5)
 LR6-72ST-xxxM, (xxx=300 to 360 in step of 5)
 LR6-60ST-xxxM, (xxx=250 to 300 in step of 5)
 LR6-72PE-xxxM, (xxx=340 to 375 in step of 5)
 LR6-60PE-xxxM, (xxx=280 to 310 in step of 5)
 LR6-72PB-xxxM, (xxx=340 to 375 in step of 5)
 LR6-60PB-xxxM, (xxx=280 to 310 in step of 5)
 LR6-72HC-xxxM (xxx=335 to 355 in step of 5)
 LR6-60HC-xxxM (xxx=280 to 300 in step of 5)
 xxx is standing for rated output power at STC

Parameters:

Rated Output Power at STC:	See attachment.
Fire Safety Class:	Class C
Application Class:	Class A
Max. System Voltage:	1000V DC
Test Laboratory:	Yangzhou Opto-electrical Products Testing Institute. No.10 West Kaifa Road, Yangzhou, 225009 Jiangsu, P.R.China.
Construction:	Framed, with Junction box, cable and connector.

Tested according to:

IEC 61215(ed.2)
 EN 61215:2005
 IEC 61730-2(ed.1);am1
 EN 61730-2:2007/A1:2012
 IEC 61730-1(ed.1);am1;am2
 EN 61730-1:2007/A11:2014

Production Facility(ies):

99605, 99606, 99626, 90968, 01192

CERTIFICATE
No. Z2 17 10 99333 013



Product Service

The following models will be covered by above certificate:

Model	Rated Output Power at STC
LR6-72-320M, LR6-72-325M, LR6-72-330M, LR6-72-335M, LR6-72-340M, LR6-72-345M, LR6-72-350M;	320W, 325W, 330W, 335W, 340W, 345W, 350W;
LR6-72BK-320M, LR6-72BK-325M, LR6-72BK-330M, LR6-72BK-335M, LR6-72BK-340M, LR6-72BK-345M, LR6-72BK-350M;	320W, 325W, 330W, 335W, 340W, 345W, 350W;
LR6-60-270M, LR6-60-275M, LR6-60-280M, LR6-60-285M, LR6-60-290M, LR6-60-295M, LR6-60-300M;	270W, 275W, 280W, 285W, 290W, 295W, 300W;
LR6-60BK-270M, LR6-60BK-275M, LR6-60BK-280M, LR6-60BK-285M, LR6-60BK-290M, LR6-60BK-295M, LR6-60BK-300M;	270W, 275W, 280W, 285W, 290W, 295W, 300W;
LR6-72ST-300M, LR6-72ST-305M, LR6-72ST-310M, LR6-72ST-315M, LR6-72ST-320M, LR6-72ST-325M, LR6-72ST-330M, LR6-72ST-335M, LR6-72ST-340M, LR6-72ST-345M, LR6-72ST-350M, LR6-72ST-355M, LR6-72ST-360M;	300W, 305W, 310W, 315W, 320W, 325W, 330W, 335W, 340W, 345W, 350W, 355W, 360W;
LR6-60ST-250M, LR6-60ST-255M, LR6-60ST-260M, LR6-60ST-265M, LR6-60ST-270M, LR6-60ST-275M, LR6-60ST-280M, LR6-60ST-285M, LR6-60ST-290M, LR6-60ST-295M, LR6-60ST-300M;	250W, 255W, 260W, 265W, 270W, 275W, 280W, 285W, 290W, 295W, 300W;
LR6-72PE-340M, LR6-72PE-345M, LR6-72PE-350M, LR6-72PE-355M, LR6-72PE-360M, LR6-72PE-365M, LR6-72PE-370M, LR6-72PE-375M;	340W, 345W, 350W, 355W, 360W, 365W, 370W, 375W;
LR6-60PE-280M, LR6-60PE-285M, LR6-60PE-290M, LR6-60PE-295M, LR6-60PE-300M, LR6-60PE-305M, LR6-60PE-310M.	280W, 285W, 290W, 295W, 300W, 305W, 310W.
LR6-72PB-340M, LR6-72PB-345M, LR6-72PB-350M, LR6-72PB-355M, LR6-72PB-360M, LR6-72PB-365M, LR6-72PB-370M, LR6-72PB-375M;	340W, 345W, 350W, 355W, 360W, 365W, 370W, 375W;
LR6-60PB-280M, LR6-60PB-285M, LR6-60PB-290M, LR6-60PB-295M, LR6-60PB-300M, LR6-60PB-305M, LR6-60PB-310M.	280W, 285W, 290W, 295W, 300W, 305W, 310W.
LR6-72HC-335M, LR6-72HC-340M, LR6-72HC-345M, LR6-72HC-350M, LR6-72HC-355M.	335W, 340W, 345W, 350W, 355W;
LR6-60HC-280M, LR6-60HC-285M, LR6-60HC-290M, LR6-60HC-295M, LR6-60HC-300M.	280W, 285W, 290W, 295W, 300W.