



Product Service

Attestation of Conformity

No. N8A 18 03 72092 265

Holder of Certificate: Shanghai JA Solar Technology Co., Ltd.

No. 118, Lane 3111,
West Huancheng Road
Fengxian District
201401 Shanghai
PEOPLE'S REPUBLIC OF CHINA

Product: Crystalline Silicon Terrestrial Photovoltaic (PV) Modules
Poly-Crystalline Silicon Photovoltaic Module

Model(s): JAP6-72-xxx, JAP6(BK)-72-xxx, xxx=250 to 310 in step of 5;
Others see the attachment
xxx is standing for rated output power at STC

Parameters:

Rated Output Power at STC:	See the attachment
Construction:	Framed, with Junction box, Cable and Connectors.
Test Laboratory:	Yangzhou Opto-Electrical Products Testing Institute No.10 West Kaifa Road, Yangzhou, 225009 Jiangsu, P. R. China
Application Class:	Class A
Maximum System Voltage:	1000 V DC or 1500 V DC, see the attachment

Tested according to: EN 61730-1:2007/A11:2014
EN 61730-2:2007/A1:2012

This Attestation of Conformity is issued on a voluntary basis according to the Low Voltage Directive 2014/35/EU relating to electrical equipment designed for use within certain voltage limits. It confirms that the listed equipment complies with the principal protection requirements of the directive and is based on the technical specifications applicable at the time of issuance. It refers only to the particular sample submitted for testing and certification. See also notes overleaf.

Test report no.: 704061209506-28



Date, 2018-04-03 (Zhulin Zhang)



After preparation of the necessary technical documentation as well as the EU declaration of conformity the required CE marking can be affixed on the product. The declaration of conformity is issued under the sole responsibility of the manufacturer. Other relevant EU-directives have to be observed.

Attestation of Conformity
No. N8A 18 03 72092 265



Product Service

The following models will be covered by above attestation of conformity:

Maximum System Voltage: 1000 V DC	
Model	Rated Output Power at STC
JAP6-72-xxx, JAP6(BK)-72-xxx, xxx=250 to 310 in step of 5;	250 W, 255 W, 260 W, 265 W, 270 W, 275 W, 280 W, 285 W, 290 W, 295 W, 300 W, 305 W, 310 W;
JAP6-72-xxx/3BB, JAP6(BK)-72-xxx/3BB, JAP6(SE)-72-xxx/3BB, xxx=250 to 330 in step of 5;	250 W, 255 W, 260 W, 265 W, 270 W, 275 W, 280 W, 285 W, 290 W, 295 W, 300 W, 305 W, 310 W, 315 W, 320 W, 325 W, 330 W;
JAP6-72-xxx/MP, JAP6(BK)-72-xxx/MP, xxx=280 to 320 in step of 5;	280 W, 285 W, 290 W, 295 W, 300 W, 305 W, 310 W, 315 W, 320 W;
JAP6-60-xxx, JAP6(BK)-60-xxx, xxx=200 to 260 in step of 5;	200 W, 205 W, 210 W, 215 W, 220 W, 225 W, 230 W, 235 W, 240 W, 245 W, 250 W, 255 W, 260 W;
JAP6-60-xxx/3BB, JAP6(BK)-60-xxx/3BB, JAP6(SE)-60-xxx/3BB, xxx=200 to 275 in step of 5;	200 W, 205 W, 210 W, 215 W, 220 W, 225 W, 230 W, 235 W, 240 W, 245 W, 250 W, 255 W, 260 W, 265 W, 270 W, 275 W;
JAP6-60-xxx/MP, JAP6(BK)-60-xxx/MP, xxx=220 to 265 in step of 5;	220 W, 225 W, 230 W, 235 W, 240 W, 245 W, 250 W, 255 W, 260 W, 265 W;
JAP6-54-xxx, JAP6(BK)-54-xxx, xxx=180 to 235 in step of 5;	180 W, 185 W, 190 W, 195 W, 200 W, 205 W, 210 W, 215 W, 220 W, 225 W, 230 W, 235 W;
JAP6-54-xxx/3BB, JAP6(BK)-54-xxx/3BB, xxx=220 to 235 in step of 5;	220 W, 225 W, 230 W, 235 W;
JAP6-54-xxx/MP, JAP6(BK)-54-xxx/MP, xxx=210 to 240 in step of 5;	210 W, 215 W, 220 W, 225 W, 230 W, 235 W, 240 W;
JAP6-54-xxx/4BB/RE, JAP6(BK)-54-xxx/4BB/RE, xxx=225 to 245 in step of 5;	225 W, 230 W, 235 W, 240 W, 245 W;
JAP6(FA)-60-xxx/3BB, xxx=250 to 270 in step of 5;	250 W, 255 W, 260 W, 265 W, 270 W;
JAP6(FA)-48-xxx/3BB, JAP6-48-xxx/3BB, xxx=200 to 220 in step of 5;	200 W, 205 W, 210 W, 215 W, 220 W;
JAP6-72-xxx/4BB, JAP6-72-xxx/4BB/RE, JAP6-72-xxx/RE, JAP6(BK)-72-xxx/4BB/RE, JAP6(BK)(SE)-72-xxx/3BB, JAP6(K)-72-xxx/4BB, JAP72S05-xxx/SC, xxx= 305 to 330 in step of 5;	305 W, 310 W, 315 W, 320 W, 325 W, 330 W;
JAP6(K)(TG)-72-xxx/4BB, xxx= 310 to 330 in step of 5;	310 W, 315 W, 320 W, 325 W, 330 W;
JAP6-60-xxx/4BB/RE, JAP6(BK)-60-xxx/4BB/RE, JAP6-60-xxx/RE, xxx=255 to 280 in step of 5;	255 W, 260 W, 265 W, 270 W, 275 W, 280 W;
JAP6(TG)-72-xxx/3BB, JAP6(BK)(TG)-72-xxx/3BB, xxx=295 to 315 in step of 5;	295 W, 300 W, 305 W, 310 W, 315 W;
JAP6(TG)-60-xxx/3BB, JAP6(BK)(TG)-60-xxx/3BB, xxx=245 to 265 in step of 5;	245 W, 250 W, 255 W, 260 W, 265 W;
JAP6(TG)-72-xxx/4BB/RE, JAP6(SE)-72-xxx/4BB/RE, JAP6(BK)(TG)-72-xxx/4BB/RE, xxx= 305 to 325 in step of 5;	305 W, 310 W, 315 W, 320 W, 325 W;

Attestation of Conformity
No. N8A 18 03 72092 265



Product Service

JAP6(TG)-60-xxx/4BB/RE, JAP6(BK)(TG)-60-xxx/4BB/RE, JAP6(SE)-60-xxx/4BB/RE, JAP6(BK)(SE)-60-xxx/4BB/RE, JAP6(FA)-60-xxx/4BB, JAP6(K)(TG)-60-xxx/4BB, JAP6(K)-60-xxx/4BB, JAP6(K)(SE)-60-xxx/4BB, xxx=255 to 275 in step of 5;	255 W, 260 W, 265 W, 270 W, 275 W;
JAP6(BK)(SE)-60-xxx/3BB, xxx=245 to 275 in step of 5;	245 W, 250 W, 255 W, 260 W, 265 W, 270 W, 275 W;
JAP6-60-xxx/4BB, JAP6(SE)-60-xxx/4BB, JAP6(TG)-60-xxx/4BB, JAP6(BK)(TG)-60-xxx/4BB, xxx =250 to 275 in step of 5;	250 W, 255 W, 260 W, 265 W, 270 W, 275 W;
JAP6(SE)-72-xxx/4BB, JAP6(TG)-72-xxx/4BB, xxx=300 to 330 in step of 5;	300 W, 305 W, 310 W, 315 W, 320 W, 325 W, 330 W;
JAP72S02-xxx/SC, JAP72S05-xxx/SC, xxx=305 to 345 in step of 5;	305 W, 310 W, 315 W, 320 W, 325 W, 330 W, 335 W, 340 W, 345 W;
JAP60S02-xxx/SC, JAP60S05-xxx/SC, xxx=250 to 290 in step of 5;	250 W, 255 W, 260 W, 265 W, 270 W, 275 W, 280 W, 285 W, 290 W;

Maximum System Voltage: 1500 V DC	
Model	Rated Output Power at STC
JAP6-72-xxx/3BB/1500V, xxx=295 to 330 in step of 5;	295 W, 300 W, 305 W, 310 W, 315 W, 320 W, 325 W, 330 W;
JAP6-60-xxx/3BB/1500V, xxx=245 to 285 in step of 5;	245 W, 250 W, 255 W, 260 W, 265 W, 270 W, 275 W, 280 W, 285 W;
JAP6-60-xxx/4BB/1500V, xxx=250 to 275 in step of 5;	250 W, 255 W, 260 W, 265 W, 270 W, 275 W;
JAP6-72-xxx/4BB/RE/1500V, JAP6-72-xxx/4BB/1500V, xxx=305 to 330 in step of 5;	305 W, 310 W, 315 W, 320 W, 325 W, 330 W;
JAP6-60-xxx/4BB/RE/1500V, xxx=255 to 280 in step of 5;	255 W, 260 W, 265 W, 270 W, 275 W, 280 W;
JAP6(K)-72-xxx/4BB/1500V, xxx=305 to 330 in step of 5;	305 W, 310 W, 315 W, 320 W, 325 W, 330 W;
JAP6(K)-60-xxx/4BB/1500V, xxx=255 to 275 in step of 5;	255 W, 260 W, 265 W, 270 W, 275 W;

Maximum System Voltage: 1000 V or 1500 V DC	
Model	Rated Output Power at STC
JAP72S01-xxx/SC, JAP72S04-xxx/SC, xxx=305 to 345 in step of 5;	305 W, 310 W, 315 W, 320 W, 325 W, 330 W, 335 W, 340 W, 345 W;
JAP60S01-xxx/SC, JAP60S04-xxx/SC, xxx=250 to 290 in step of 5;	250 W, 255 W, 260 W, 265 W, 270 W, 275 W, 280 W, 285 W, 290 W;
JAP72S03-xxx/PR, xxx=335~380, in step of 5;	335 W, 340 W, 345 W, 350 W, 355 W, 360 W, 365 W, 370 W, 375 W, 380 W;
JAP60S03-xxx/PR, xxx=280~315, in step of 5;	280 W, 285 W, 290 W, 295 W, 300 W, 305 W, 310 W, 315 W;
JAP72S03-xxx/SC, xxx=320~350, in step of 5;	320 W, 325 W, 330 W, 335 W, 340 W, 345 W, 350 W;
JAP60S03-xxx/SC, xxx=270~300, in step of 5;	270 W, 275 W, 280 W, 285 W, 290 W, 295 W, 300 W;